| | HERITAGE EXPEDITIONS<br>GALAPAGOS OF THE SOUTHERN OCEAN #1763<br>1 - 13 December 2017<br>Species | Area of Occurrence | Day 1 | Day 2 | Day 3 | Day 4 | Day 5 | Day 6 | Day 7 | Day 8 | Day 9 | Day 10 | Day 11 | Day 12 | Day 13 | Day 14 | Day 15 | Day 16 | Day 17 | Day 18 | Day 19 | Day 20 | Day 21 | Day 22 | Day 23 | Day 24 | Day 25 | Day 26 | Day 27 | Day 28 | Day 29 | Day 30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | **CANADA GOOSE**<br>*Branta canadensis* | NZ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | **BLACK SWAN**<br>*Cygnus atratus* | NZ, CH | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | **AUSTRALIAN SHELDUCK**<br>*Tadorna tadornoides* | AU, CA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | **PARADISE SHELDUCK**<br>*Tadorna variegata* | NZ, CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | **MALLARD**<br>*Anas platyrhynchos* | NZ, SN, AU, MA, CA, CH | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| 6 | **GREY DUCK**<br>*Anas superciliosa* | AU, MA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | **MALLARD X GREY DUCK HYBRID** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | **AUSTRALIAN SHOVELER**<br>*Anas rhynchotis* | NZ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | **AUCKLAND ISLAND FLIGHTLESS TEAL**<br>*Anas aucklandica* | AU | | | X | | | | | | | X | | | | | | | | | | | | | | | | | | | | |
| 10 | **CAMPBELL ISLAND FLIGHTLESS TEAL**<br>*Anas aucklandica nesiotis* | CA | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| 11 | **EMPEROR PENGUIN**<br>*Aptenodytes forsteri* | AN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | **KING PENGUIN**<br>*Aptenodytes patagonicus* | MA | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 13 | **YELLOW-EYED PENGUIN**<br>*Megadyptes antipodes* | NZ, AU, CA | | | X | | | | | | | X | | | | | | | | | | | | | | | | | | | | |
| 14 | **GENTOO PENGUIN**<br>*Pyoscelis papua papua* | MA | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 15 | **ADELIE PENGUIN**<br>*Pygoscelis adeliae* | AN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16 | **CHIN STRAP PENGUIN**<br>*Pygoscelis antarctica* | AN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 17 | **LITTLE PENGUIN**<br>*Eudyptula minor* | NZ, CH | X | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | |
| 18 | **SOUTHERN ROCKHOPPER PENGUIN**<br>*Eudyptes chrysocome* | AU, MA, CA, AT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19 | **EASTERN ROCKHOPPER PENGUIN**<br>*Eudyptes filholi* | AU, MA, CA, AT | | | | | X | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 20 | **FIORDLAND CRESTED PENGUIN**<br>Eudyptes pachyrhynchus | NZ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | HERITAGE EXPEDITIONS<br>GALAPAGOS OF THE SOUTHERN OCEAN #1763<br>1 - 13 December 2017<br>Species | Area of Occurrence | Day 1 | Day 2 | Day 3 | Day 4 | Day 5 | Day 6 | Day 7 | Day 8 | Day 9 | Day 10 | Day 11 | Day 12 | Day 13 | Day 14 | Day 15 | Day 16 | Day 17 | Day 18 | Day 19 | Day 20 | Day 21 | Day 22 | Day 23 | Day 24 | Day 25 | Day 26 | Day 27 | Day 28 | Day 29 | Day 30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 21 | **SNARES CRESTED PENGUIN**<br>*Eudyptes robusta* | SN | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 22 | **ERECT-CRESTED PENGUIN**<br>*Eudyptes sclateri* | AT, BO | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 23 | **ROYAL PENGUIN**<br>*Eudyptes schlegeli* | MA | | | | | X | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 24 | **MACARONI PENGUIN**<br>*Eudyptes chrysolophus* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 25 | **ANTIPODEAN WANDERING ALBATROSS**<br>*Diomedea antipodensis* | CA, AT | | X | | X | | | | | | X | | | | | | | | | | | | | | | | | | | | |
| 26 | **GIBSON'S WANDERING ALBATROSS**<br>*Diomedea (antipodensis) gibsoni* | AU | | | | X | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| 27 | **WANDERING ALBATROSS**<br>*Diomedea exulans* | MA | | | | | | | | | | X | X | | | | | | | | | | | | | | | | | | | |
| 28 | **WANDERING ALBATROSS sp** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 29 | **SOUTHERN ROYAL ALBATROSS**<br>*Diomedea epomophora* | AU, CA | X | X | X | X | X | X | X | X | X | X | X | | | | | | | | | | | | | | | | | | | |
| 30 | **NORTHERN ROYAL ALBATROSS**<br>*Diomedea sanfordi* | NZ, CH | X | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | |
| 31 | **CAMPBELL ALBATROSS**<br>*Thalassarche impavida* | CA | | X | | X | | | | X | X | X | | | | | | | | | | | | | | | | | | | | |
| 32 | **BLACK-BROWED ALBATROSS**<br>*Thalassarche melanophris* | MA, CA, AT | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 33 | **GREY-HEADED ALBATROSS**<br>*Diomedea chrysostoma* | MA, CA | | X | | X | | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 34 | **WHITE-CAPPED ALBATROSS**<br>*Thalassarche (cauta) steadi* | AU, AT | X | X | | X | | | | | | X | X | | | | | | | | | | | | | | | | | | | |
| 35 | **SALVIN'S ALBATROSS**<br>*Thalassarche salvini* | SN, BO | | X | | X | | | | | | | X | | | | | | | | | | | | | | | | | | | |
| 36 | **CHATHAM ALBATROSS**<br>*Thalassarche eremita* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 37 | **(SOUTHERN) BULLER'S ALBATROSS**<br>*Thalassarche (bulleri) bulleri* | NZ, SN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 38 | **NORTHERN BULLER'S (PACIFIC) ALBATROSS**<br>*Thalassarche (bulleri) platei* | NZ, CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 39 | **LIGHT-MANTLED SOOTY ALBATROSS**<br>*Phoebetria palpebrata* | AU, MA, CA, AT | | | X | X | | X | | X | X | X | | | | | | | | | | | | | | | | | | | | |
| 40 | **NORTHERN GIANT PETREL**<br>*Macronectes halli* | SN, AU, MA, CA, AT, BO, CH | X | X | X | X | X | X | X | X | X | X | X | | | | | | | | | | | | | | | | | | | |

| | HERITAGE EXPEDITIONS<br>GALAPAGOS OF THE SOUTHERN OCEAN #1763<br>1 - 13 December 2017<br>Species | Area of Occurrence | Day 1 | Day 2 | Day 3 | Day 4 | Day 5 | Day 6 | Day 7 | Day 8 | Day 9 | Day 10 | Day 11 | Day 12 | Day 13 | Day 14 | Day 15 | Day 16 | Day 17 | Day 18 | Day 19 | Day 20 | Day 21 | Day 22 | Day 23 | Day 24 | Day 25 | Day 26 | Day 27 | Day 28 | Day 29 | Day 30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 41 | **SOUTHERN GIANT PETREL**<br>*Macronectes giganteus* | MA, AN | | | | | | X | | X | | | | | | | | | | | | | | | | | | | | | | |
| 42 | **SOUTHERN (ANTARCTIC) FULMAR**<br>*Fulmanus glacialoides* | MA, AN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 43 | **CAPE (PINTADO) PETREL**<br>*Daption capense* | ALL | X | X | X | X | X | X | X | X | X | X | X | | | | | | | | | | | | | | | | | | | |
| 44 | **ANTARCTIC PETREL**<br>*Thalassoica antarctica* | AN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 45 | **LESSER SNOW PETREL**<br>*Pagodroma (nivea) nivea* | AN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 46 | **GREATER (BALLENY IS) SNOW PETREL**<br>*Pagodroma (nivea) confusa* | AN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 47 | **BLUE PETREL**<br>*Halobaena caerulea* | MA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 48 | **BROAD-BILLED PRION**<br>*Pachyptila vittata* | SN, CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 49 | **ANTARCTIC PRION**<br>*Pachyptila desolata* | AU, MA, AN, CA | | X | | X | | | | | | X | | | | | | | | | | | | | | | | | | | | |
| 50 | **FAIRY PRION**<br>*Pachyptila turtur* | ALL | | X | X | X | X | X | X | X | X | X | X | | | | | | | | | | | | | | | | | | | |
| 51 | **FULMAR PRION**<br>*Pachyptila crassirostris* | SN, AU, BO, CH | | X | | | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| 52 | **THIN-BILLED (SLENDER-BILLED) PRION**<br>*Pachyptila belcheri* | | | X | | X | | | | | X | | X | | | | | | | | | | | | | | | | | | | |
| 53 | **SALVIN'S PRION**<br>*Pachyptila salvini* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 54 | **PRION sp** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 55 | **KERGUELEN PETREL**<br>*Aphrodroma brevirostris* | MA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 56 | **CHATHAM ISLAND PETREL**<br>*Pterodroma axillaris* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 57 | **BLACK-WINGED PETREL**<br>*Pterodroma nigripennis* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 58 | **MOTTLED PETREL**<br>*Pterodroma inexpectata* | ALL | | X | | X | | | | | | X | X | | | | | | | | | | | | | | | | | | | |
| 59 | **COOK'S PETREL**<br>*Pterodroma cookii* | NZ, CH | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 60 | **PYCROFT'S PETREL**<br>*Pterodroma pycrofti* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | HERITAGE EXPEDITIONS<br>GALAPAGOS OF THE SOUTHERN OCEAN #1763<br>1 - 13 December 2017<br>Species | Area of Occurrence | Day 1 | Day 2 | Day 3 | Day 4 | Day 5 | Day 6 | Day 7 | Day 8 | Day 9 | Day 10 | Day 11 | Day 12 | Day 13 | Day 14 | Day 15 | Day 16 | Day 17 | Day 18 | Day 19 | Day 20 | Day 21 | Day 22 | Day 23 | Day 24 | Day 25 | Day 26 | Day 27 | Day 28 | Day 29 | Day 30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 61 | **COOKILARIA sp** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 62 | **GREY-FACED (GREAT-WINGED) PETREL**<br>*Pterodroma macroptera* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63 | **MAGENTA PETREL**<br>*Pterodroma magentae* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 64 | **GOULD'S PETREL**<br>*Pterodroma leucoptera* | NZ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65 | **WHITE-HEADED PETREL**<br>*Pterodroma lessonii* | AU, MA, CA, AT | | | | X | | | | | X | X | | | | | | | | | | | | | | | | | | | | |
| 66 | **SOFT-PLUMAGED PETREL**<br>*Pterodroma mollis* | MA, CA, AT | | | | | | X | X | | | | | | | | | | | | | | | | | | | | | | | |
| 67 | **GREY PETREL**<br>*Procellaria cinerea* | MA, CA, AT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 68 | **WHITE-CHINNED PETREL**<br>*Procellaria aequinoctialis* | ALL | X | X | | X | | | | X | X | X | X | | | | | | | | | | | | | | | | | | | |
| 69 | **BULLER'S SHEARWATER**<br>*Puffinus bulleri* | NZ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 70 | **SOOTY SHEARWATER**<br>*Puffinus griseus* | ALL | X | X | | X | | | | | X | X | X | | | | | | | | | | | | | | | | | | | |
| 71 | **SHORT-TAILED SHEARWATER**<br>*Puffinus tenuirostris* | ALL | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 72 | **FLUTTERING SHEARWATER**<br>*Puffinus gavia* | NZ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 73 | **HUTTON'S SHEARWATER**<br>*Puffinus huttoni* | NZ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 74 | **SUBANTARCTIC LITTLE SHEARWATER**<br>*Puffinus (assimilis) elegans* | AU, CA, AT, CH | | | | | | | | | | X | X | | | | | | | | | | | | | | | | | | | |
| 75 | **WILSON'S STORM-PETREL**<br>*Oceanites oceanicus* | ALL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 76 | **GREY-BACKED STORM-PETREL**<br>*Garrodia nereis* | AU, CA, AT, CH | | X | | X | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 77 | **WHITE-FACED STORM-PETREL**<br>*Pelagodroma marina* | NZ, CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 78 | **BLACK-BELLIED STORM-PETREL**<br>*Fregetta tropica* | AU, MA, CA, AT | | X | | X | | | | | | X | X | | | | | | | | | | | | | | | | | | | |
| 79 | **SUBANTARCTIC DIVING-PETREL**<br>*Pelecanoides georgicus* | NZ, SN | | X | | | | | | | | | X | | | | | | | | | | | | | | | | | | | |
| 80 | **COMMON DIVING-PETREL**<br>*Pelecanoides urinatrix* | ALL | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | HERITAGE EXPEDITIONS<br>GALAPAGOS OF THE SOUTHERN OCEAN #1763<br>1 - 13 December 2017<br>Species | Area of Occurrence | Day 1 | Day 2 | Day 3 | Day 4 | Day 5 | Day 6 | Day 7 | Day 8 | Day 9 | Day 10 | Day 11 | Day 12 | Day 13 | Day 14 | Day 15 | Day 16 | Day 17 | Day 18 | Day 19 | Day 20 | Day 21 | Day 22 | Day 23 | Day 24 | Day 25 | Day 26 | Day 27 | Day 28 | Day 29 | Day 30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 81 | **WHITE-FACED HERON**<br>*Egretta novaehollandiae* | NZ, AU, CH | X | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| 82 | **AUSTRALIAN GANNET**<br>*Morus serrator* | NZ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 83 | **LITTLE PIED CORMORANT**<br>*Microcarbo melanoleucos* | NZ, SN | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 84 | **BLACK SHAG (GREAT CORMORANT)**<br>*Phalacrocorax carbo* | NZ, CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 85 | **PIED SHAG (PIED CORMORANT)**<br>*Phalacrocorax varius* | NZ | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 86 | **PITT ISLAND SHAG**<br>*Phalacrocorax featherstoni* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 87 | **SPOTTED SHAG**<br>*Phalacrocorax punctatus* | NZ | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 88 | **BRONZE (STEWART ISLAND) SHAG**<br>*Leucocarbo chalconotus* | NZ | X | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | |
| 89 | **CHATHAM ISLAND SHAG**<br>*Leucocarbo onslowi* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 90 | **CAMPBELL ISLAND SHAG**<br>*Leucocarbo campbelli* | CA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 91 | **AUCKLAND ISLAND SHAG**<br>*Leucocarbo colensoi* | AU | | | X | | | | | | | X | | | | | | | | | | | | | | | | | | | | |
| 92 | **BOUNTY ISLAND SHAG**<br>*Leucocarbo ranfurlyi* | BO | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 93 | **MACQUARIE ISLAND SHAG**<br>*Leucocarbo purpurascens* | MA | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 94 | **SWAMP HARRIER**<br>*Circus approximans* | AU, CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 95 | **NEW ZEALAND FALCON**<br>*Falco novaeseelandiae* | AU | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 96 | **WEKA**<br>*Gallirallus australis* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 97 | **PUKEKO (PURPLE SWAMPHEN)**<br>*Porphyrio porphyrio* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 98 | **VARIABLE OYSTERCATCHER**<br>*Haematopus unicolour* | NZ | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 99 | **SOUTH ISLAND OYSTERCATCHER**<br>*Haematopus finschi* | NZ | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 100 | **CHATHAM ISLAND PIED OYSTERCATCHER**<br>*Haematopus chathamensis* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | HERITAGE EXPEDITIONS<br>GALAPAGOS OF THE SOUTHERN OCEAN #1763<br>1 - 13 December 2017<br>Species | Area of Occurrence | Day 1 | Day 2 | Day 3 | Day 4 | Day 5 | Day 6 | Day 7 | Day 8 | Day 9 | Day 10 | Day 11 | Day 12 | Day 13 | Day 14 | Day 15 | Day 16 | Day 17 | Day 18 | Day 19 | Day 20 | Day 21 | Day 22 | Day 23 | Day 24 | Day 25 | Day 26 | Day 27 | Day 28 | Day 29 | Day 30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 101 | **SPUR-WINGED PLOVER**<br>*Vanellus miles* | AU, CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 102 | **AUCKLAND ISLAND BANDED DOTTEREL (DOUBLE BANDED PLOVER)** *Charadrius bicinctus exilis* | AU | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 103 | **SHORE PLOVER**<br>*Thinornis novaeseelandiae* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 104 | **CHATHAM SNIPE**<br>*Coenocorypha pusilla* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 105 | **SNARES SNIPE**<br>*Coenocorpha huegeli* | SN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 106 | **AUCKLAND ISLAND (SUBANTARCTIC) SNIPE**<br>*Coenocorypha (aucklandica) aucklandica* | AU | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 107 | **CAMPBELL ISLAND (SUBANTARCTIC) SNIPE**<br>*Coenocorpyha (aucklandica) perseverance* | CA | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| 108 | **BAR-TAILED GODWIT**<br>*Limosa lapponica* | AU, CA | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 109 | **RUDDY TURNSTONE**<br>*Arenaria interpres* | AU | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 110 | **RED-BILLED GULL**<br>*Chroicocephalus scopulinus* | NZ, SN, AU, CA | X | X | | | | | | | | X | X | | | | | | | | | | | | | | | | | | | |
| 111 | **KELP GULL**<br>*Larus dominicanus* | ALL | X | X | | | | X | | | | X | X | | | | | | | | | | | | | | | | | | | |
| 112 | **WHITE-FRONTED TERN**<br>*Sterna striata* | NZ, AU, CA, CH | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 113 | **ANTARCTIC TERN**<br>*Sterna vittata* | ALL | | X | X | | | | | X | X | X | X | | | | | | | | | | | | | | | | | | | |
| 114 | **ARCTIC TERN**<br>*Sterna paradisaea* | ALL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 115 | **BROWN SKUA**<br>*Catharacta (antarcticus) lonnbergi* | ALL | | X | | | | X | | | X | X | X | | | | | | | | | | | | | | | | | | | |
| 116 | **SOUTH POLAR SKUA**<br>*Catharacta maccormicki* | AN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 117 | **ARCTIC SKUA (PARASITIC JAEGER)**<br>*Stercorarius parasiticus* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 118 | **POMARINE SKUA (JAEGER)**<br>*Stercorarius pomarinus* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 119 | **CHATHAM ISLAND PIGEON**<br>*Hemiphaga chathamensis* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 120 | **RED-CROWNED PARAKEET**<br>*Cyanoramphus (novaezelandiae) novaezelandiae* | AU | | | X | | | | | | | X | | | | | | | | | | | | | | | | | | | | |

| | HERITAGE EXPEDITIONS<br>GALAPAGOS OF THE SOUTHERN OCEAN #1763<br>1 - 13 December 2017<br>Species | Area of Occurrence | Day 1 | Day 2 | Day 3 | Day 4 | Day 5 | Day 6 | Day 7 | Day 8 | Day 9 | Day 10 | Day 11 | Day 12 | Day 13 | Day 14 | Day 15 | Day 16 | Day 17 | Day 18 | Day 19 | Day 20 | Day 21 | Day 22 | Day 23 | Day 24 | Day 25 | Day 26 | Day 27 | Day 28 | Day 29 | Day 30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 121 | **CHATHAM ISLAND RED-CROWNED PARAKEET**<br>*Cyanoramphus novaezelandiae chathamensis* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 122 | **REISCHEK'S PARAKEET**<br>*Cyanoramphus hochstetteri* | AT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 123 | **ANTIPODES PARAKEET**<br>*Cyanoramphus unicolor* | AT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 124 | **YELLOW-CROWNED PARAKEET**<br>*Cyanoramphus auriceps* | AU | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 125 | **FORBE'S PARAKEET**<br>*Cyanoramphus forbesi* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 126 | **SHINING BRONZE-CUCKOO**<br>*Chrysococcyx lucidus* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 127 | **TUI**<br>*Prosthemadera (novaeseelandiae) novaseelandiae* | AU, CA | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | |
| 128 | **CHATHAM ISLAND TUI**<br>*Prosthemadera novaseelandiae chathamensis* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 129 | **BELLBIRD**<br>*Anthornis melanura* | AU | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | |
| 130 | **CHATHAM ISLAND GERYGONE**<br>*Gerygone albofrontata* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 131 | **NEW ZEALAND FANTAIL**<br>*Rhipidura fuliginosa penita* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 132 | **SNARES ISLAND TOMTIT**<br>*Petroica macrocephala danneefaerdi* | SN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 133 | **AUCKLAND ISLAND TOMTIT**<br>*Petroica macrocephala marrineri* | AU | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | |
| 134 | **CHATHAM ISLAND TOMTIT**<br>*Petroica macrocephala chathamensis* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 135 | **BLACK ROBIN**<br>*Petroica traversi* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 136 | **SKYLARK**<br>*Alauda arvensis* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 137 | **WELCOME SWALLOW**<br>*Hirundo neoxena* | CH | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 138 | **SNARES ISLAND FERNBIRD**<br>*Bowdleria punctata caudata* | SN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 139 | **SILVEREYE**<br>*Zosterops lateralis* | SN, AU, CA, CH | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | |
| 140 | **EUROPEAN STARLING**<br>*Sturnus vulgaris* | ALL | | | X | | | X | | | | X | | | | | | | | | | | | | | | | | | | | |

| | HERITAGE EXPEDITIONS<br>GALAPAGOS OF THE SOUTHERN OCEAN #1763<br>1 - 13 December 2017<br>Species | Area of Occurrence | Day 1 | Day 2 | Day 3 | Day 4 | Day 5 | Day 6 | Day 7 | Day 8 | Day 9 | Day 10 | Day 11 | Day 12 | Day 13 | Day 14 | Day 15 | Day 16 | Day 17 | Day 18 | Day 19 | Day 20 | Day 21 | Day 22 | Day 23 | Day 24 | Day 25 | Day 26 | Day 27 | Day 28 | Day 29 | Day 30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 141 | **SONG THRUSH**<br>*Turdus philomelos* | SN, AU, CA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 142 | **BLACKBIRD**<br>*Turdus merula* | SN, AU, CA, CH | | | X | | | | | | | X | | | | | | | | | | | | | | | | | | | | |
| 143 | **DUNNOCK (HEDGE SPARROW)**<br>*Prunella modularis* | AU, CA, CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 144 | **CHATHAM ISLAND PIPIT**<br>*Anthus novaeseelandiae chathamensis* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 145 | **AUCKLAND ISLAND PIPIT**<br>*Anthus novaeseelandiae aucklandicus* | AU | | | X | | | | | | | X | | | | | | | | | | | | | | | | | | | | |
| 146 | **ANTIPODES ISLAND PIPIT**<br>*Anthus novaeseelandiae steindachneri* | AT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 147 | **CAMPBELL ISLAND PIPIT**<br>*Anthus novaeseelandiae ssp. nova* | CA | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| 148 | **CHAFFINCH**<br>*Fringilla coelebs* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 149 | **GOLDFINCH**<br>*Carduelis carduelis* | CA, CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 150 | **REDPOLL**<br>*Carduelis flammea* | SN, AU, MA, CA, CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 151 | **HOUSE SPARROW**<br>*Passer domesticus* | CH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 152 | **NEW ZEALAND PIGEON** | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 153 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 154 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 155 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 156 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 157 | **SOUTHERN RIGHT WHALE**<br>*Eubalaena australis* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 158 | **DWARF MINKE WHALE**<br>*Balaenoptera acutorostrata* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 159 | **ANTARCTIC MINKE WHALE**<br>*Balaneoptera bonaerensis* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 160 | **SEI WHALE**<br>*Balaenoptera borealis* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | HERITAGE EXPEDITIONS<br>GALAPAGOS OF THE SOUTHERN OCEAN #1763<br>1 - 13 December 2017<br>Species | Area of Occurrence | Day 1 | Day 2 | Day 3 | Day 4 | Day 5 | Day 6 | Day 7 | Day 8 | Day 9 | Day 10 | Day 11 | Day 12 | Day 13 | Day 14 | Day 15 | Day 16 | Day 17 | Day 18 | Day 19 | Day 20 | Day 21 | Day 22 | Day 23 | Day 24 | Day 25 | Day 26 | Day 27 | Day 28 | Day 29 | Day 30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 161 | **FIN WHALE**<br>*Balaenoptera physalus* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 162 | **BLUE WHALE**<br>*Balaenoptera musculus* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 163 | **RORQUAL sp** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 164 | **HUMPBACK WHALE**<br>*Megaptera novaeangliae* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165 | **HECTOR'S DOLPHIN**<br>*Cepharhynchus hectori* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 166 | **SHORT-BEAKED COMMON DOLPHIN**<br>*Delphinus delphis* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 167 | **LONG-FINNED PILOT WHALE**<br>*Globicephala melas* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 168 | **HOURGLASS DOLPHIN**<br>*Lagenorhynchus cruciger* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 169 | **DUSKY DOLPHIN**<br>*Lagenorhynchus obscurus* | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 170 | **SOUTHERN RIGHT WHALE DOLPHIN**<br>*Lissodelphis peronii* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 171 | **KILLER WHALE**<br>*Orcinus orca* | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | |
| 172 | **BOTTLENOSE DOLPHIN**<br>*Tursiops truncatus* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 173 | **SPECTACLED PORPOISE**<br>*Australophocoena dioptrica* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 174 | **SPERM WHALE**<br>*Physeter macrocephalus* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 175 | **ARNOUX'S BEAKED WHALE**<br>*Berardius arnuxii* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 176 | **SOUTHERN BOTTLENOSE WHALE**<br>*Hyperoodon planifrons* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 177 | **GRAY'S BEAKED WHALE**<br>*Mesoplodon grayi* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 178 | **STRAP-TOOTHED WHALE**<br>*Mesoplodon layardii* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 179 | **MESOPLODON sp** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 180 | **SHEPHERD'S BEAKED WHALE**<br>*Tasmacetus shepherdii* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | HERITAGE EXPEDITIONS<br>GALAPAGOS OF THE SOUTHERN OCEAN #1763<br>1 - 13 December 2017<br>Species | Area of Occurrence | Day 1 | Day 2 | Day 3 | Day 4 | Day 5 | Day 6 | Day 7 | Day 8 | Day 9 | Day 10 | Day 11 | Day 12 | Day 13 | Day 14 | Day 15 | Day 16 | Day 17 | Day 18 | Day 19 | Day 20 | Day 21 | Day 22 | Day 23 | Day 24 | Day 25 | Day 26 | Day 27 | Day 28 | Day 29 | Day 30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 181 | **ANTARCTIC FUR SEAL**<br>*Arctocephalus gazella* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 182 | **SUBANTARCTIC FUR SEAL**<br>*Arctocephalus tropicalis* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 183 | **NEW ZEALAND FUR SEAL**<br>*Arctocephalus foresteri* | | X | X | | | | | | | | X | X | | | | | | | | | | | | | | | | | | | |
| 184 | **NEW ZEALAND (HOOKERS) SEA LION**<br>*Phocarctos hookeri* | | | X | X | | | | X | X | X | X | X | | | | | | | | | | | | | | | | | | | |
| 185 | **LEOPARD SEAL**<br>*Hydrurga leptonyx* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 186 | **WEDDELL SEAL**<br>*Leptonychotes weddelli* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 187 | **CRABEATER SEAL**<br>*Lobodon carcinophagus* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 188 | **SOUTHERN ELEPHANT SEAL**<br>*Mirounga leonina* | | | | X | | | X | | X | | | | | | | | | | | | | | | | | | | | | | |
| 189 | **ROSS SEAL**<br>*Ommatophoca rossi* | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 190 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |